



INDUSTRIAL STRAPPING RANGE

PP Strapping Band

Greenstrix polypropylene (PP) strapping is engineered for light to medium-duty packaging — carton sealing, parcel bundling and unitising palletised loads. Its embossed surface delivers reliable grip and fast, dependable sealing across manual, semi-automatic and fully automatic lines, making it the economical choice for high-productivity operations.



PP STRAPPING COILS

5–19mm
WIDTH RANGE

0.47–0.80mm
THICKNESS

190kg
MAX BREAK STRENGTH

Embossed, virgin-grade PP wound into precision coils for smooth feed, tight tension and consistent sealing on every packaging line.

Key Features & Benefits



Embossed High-Grip Surface

Textured face gives secure fastening and firm seals with minimal slippage.



Economical, Light-Medium Duty

Best cost-per-strap for cartons, parcels and bundling at high volume.



Machine & Manual Compatible

Runs on fully automatic, semi-automatic and hand-tool operations.



UV & Moisture Resistant

Dependable strength through storage, handling and transit.



Recyclable Mono-Material

100% polypropylene — PPWR-friendly and easy to recycle.



Consistent Batch Quality

Stable tension and feed, wound as export-grade coils.

Standard Widths & Colours

STANDARD WIDTHS

5 mm

6 mm

9 mm

12 mm

15 mm

18 mm

19 mm

Custom

COLOURS



Transparent



White



Black

Custom colours on request

Specifications by Machine Type

100% virgin-grade PP • embossed high-grip surface • REACH & RoHS aligned • PPWR-ready • recyclable mono-material

 Fully Automatic

PRODUCT CODE	WIDTH (MM) ±0.06 mm	THICKNESS (MM) ±0.06 mm	LENGTH (M)	BREAK STRENGTH (KG)
Fully Auto Polypropylene Strapping				
GS-PP 547	5	0.47	7,000	38
GS-PP 560	5	0.60	3,000	38
GS-PP 960	9	0.60	3,000	88
GS-PP 1260	12	0.60	2,000	118
GS-PP 1270	12	0.70	2,000	128
GS-PP 1560	15	0.60	1,500	138
GS-PP 1880	18	0.80	1,500	188

TOLERANCE
Length & Weight ±5%

ELONGATION
10% to 25%

SEALING TYPE
Friction Weld / Heat

 Semi-Automatic

PRODUCT CODE	WIDTH (MM) ±0.06 mm	THICKNESS (MM) ±0.06 mm	LENGTH (M)	BREAK STRENGTH (KG)
Semi-Automatic Polypropylene Strapping				
GS-PP 650	6	0.50	2,000	30
GS-PP 960	9	0.60	2,000	80
GS-PP 1260	12	0.60	2,000	110
GS-PP 1270	12	0.70	2,000	120
GS-PP 1560	15	0.60	1,000	140
GS-PP 1950	19	0.50	1,000	160
GS-PP 1980	19	0.80	1,000	190

TOLERANCE
Length & Weight ±5%

CORE ID
152 / 203 / 280 / 405 mm

COLOURS
Transparent / White / Black



GREENSTRIX

sales@greenstrix.com

+91 90906 03966

www.greenstrix.com • Surat, India

Applications

- Carton sealing, closing & light-duty bundling
- Parcel & courier / e-commerce packaging
- Paper, printing & textile roll securing
- Unitising & securing palletised goods
- Warehouse, logistics & distribution
- General manufacturing & consolidation

Export & Supply

Reliable Bulk Supply, Globally

An export-focused packaging partner from India, Greenstrix coordinates supply across international freight workflows with full export documentation support — keeping your strapping programme consistent across orders.

Germany

Netherlands

Italy

France

Poland

Wider EU

Product & Application



Full Colour Range

White, blue, yellow & custom colours on request.



Manual & Tool Strapping

Works with hand tensioners, sealers & buckles.



Bulk Supply & Operations

Export-grade coils for high-volume packaging lines.

Why Choose Greenstrix

- ✓ ISO 9001:2015 certified manufacturer & exporter
- ✓ DUNS registered & DGFT / IEC compliant
- ✓ Customisable width, thickness & colour
- ✓ Trusted exporter to European & global markets
- ✓ Consistent batch quality with documentation support
- ✓ Reliable bulk supply with export-grade packing

ISO 9001:2015

D-U-N-S 772026745

DGFT

IEC: EFAPK1494H

Get a Quote

Bulk & export enquiries welcome

Email

sales@greenstrix.com

Web

www.greenstrix.com

India +91 90906 03966

CORPORATE OFFICE

701, SNS Platina, Near Someshwara Enclave,
Vesu, Surat – 395007, Gujarat, India

REGISTERED OFFICE

Shop No. 406, 4th Floor, Times Shoppers,
Opp. Sarthana Zoo, Nana Varachha,
Surat – 395006, Gujarat, India

CONNECT

LinkedIn @GreenStrix • Instagram @greenstrix_official